

Technical Data for:

MAPETROL SPARCO COMPETITION SCOOTER ESTER 4T 10W-40

Description:

Mapetrol Sparco Competition Scooter Ester 4T 10W-40 is fully synthetic, cutting-edge, ester-based, four-stroke, scooter engine oil, formulated with revolutionary additive technology, enhances engine performance and provides complete protection to all lubricated components. It goes beyond the requirements of API SN. Additionally, it meets the exacting JASO MA2 specification, serving as further evidence of its top-notch quality and broad suitability.

Benefits:

- Enhances performance for engines, transmissions, and wet clutches
- Designed for both touring and daily riding
- The oil's extensive applicability simplifies fluid management

Specifications and approvals:

API SN

JASO MA2

Typical characteristics:

Test	Method	Unit	Results
Density at 15 °C	ASTM D 4052	[g/cm ³]	0,80-0,90
Kinematic viscosity at 40 °C	ASTM D 445	[mm ² /s]	90-110
Kinematic viscosity at 100 °C	ASTM D 445	[mm ² /s]	12,5-16,3
Viscosity index	ASTM D 2270	-	> 140
Pour point	ASTM D 97	[°C]	< -30
Flash point (Cleveland)	ASTM D 92	[°C]	> 210
T.B.N.	ASTM D 2896	mg KOH/g	> 9

The values provided are for informational purposes only. The exact values for a specific batch are available on the Certificate of Analysis (CoA).

Storage:

Please store in a well-ventilated, dry, and cool area, away from direct sunlight and out of reach of children. Additional information can be found in the safety data sheet.